

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 10/24/2006

1 Identification

Product identifier
Product name: Samarium (III) fluoride
Stock number: 13660

CAS Number:
13765-24-7

EC number:
237-367-3

Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet
Manufacturer/Supplier:

 Alfa Aesar, A Johnson Matthey Company
 Johnson Matthey Catalog Company, Inc.
 30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal hours the Health, Safety and Environmental Department at (800) 343-0660. After normal hours call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008


GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC


Xn; Harmful

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.



Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

Information concerning particular hazards for human and environment: Not applicable

Hazards not otherwise classified No information known.

Label elements
Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

Hazard pictograms


GHS06

Signal word Danger

Hazard statements

H302+H312 Harmful if swallowed or in contact with skin.

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 2)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 10/24/2006

Product name: Samarium (III) fluoride

(Contd. of page 1)

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P302+P352 IF ON SKIN: Wash with plenty of water/..
 P321 Specific treatment (see on this label).
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects
 D2B - Toxic material causing other toxic effects

**Classification system**

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH	2	Health (acute effects) = 2
FIRE	0	Flammability = 0
REACTIVITY	0	Physical Hazard = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

13765-24-7 Samarium (III) fluoride

Identification number(s):

EC number: 237-367-3

4 First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact

Rub in calcium gluconate solution or calcium gluconate gel immediately. Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Hydrogen fluoride (HF)

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

(Contd. on page 3)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 10/24/2006

Product name: Samarium (III) fluoride

(Contd. of page 2)

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: No information known.

Further information about storage conditions:

Protect from carbon dioxide.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Fluorides (as F)	mg/m ³
ACGIH TLV	2.5
Austria MAK	2.5
Belgium TWA	2.5
Finland TWA	2.5
France TWA	2.5
Germany MAK	2.5
Hungary TWA	1; 2-STEL
Netherlands MAC-K	3.5
Norway TWA	0.6
Poland TWA	1; 3-STEL
Sweden NGV	2
Switzerland MAK-W	1.5; 3-KZG-W
United Kingdom TWA	2.5
Russia TWA	2
Denmark TWA	2.5
USA PEL	2.5

13765-24-7 Samarium (III) fluoride (100.0%)

PEL (USA)	Long-term value: 2.5 mg/m ³ as F
REL (USA)	Long-term value: 2.5 mg/m ³ as F

(Contd. on page 4)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 10/24/2006

Product name: Samarium (III) fluoride

(Contd. of page 3)

TLV (USA)	Long-term value: 2.5 mg/m ³ as F, BEI
EL (Canada)	Long-term value: 2.5 mg/m ³ as F

Ingredients with biological limit values:**13765-24-7 Samarium (III) fluoride (100.0%)**

BEI (USA)	2 mg/L Medium: urine Time: prior to shift Parameter: Fluoride (background, nonspecific)
	3 mg/L Medium: urine Time: end of shift Parameter: Fluoride (background, nonspecific)

Additional information: No data**Exposure controls****Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.**Protection of hands:**

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses**Body protection:** Protective work clothing.**9 Physical and chemical properties****Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Powder
Color:	Off-white
Odor:	Odorless
Odor threshold:	Not determined.

pH-value: Not applicable.**Change in condition**

Melting point/Melting range:	1306 °C (2383 °F)
Boiling point/Boiling range:	2323 °C (4213 °F)
Sublimation temperature / start:	Not determined

Flash point:	Not applicable
Flammability (solid, gaseous)	Not determined.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.

Danger of explosion: Product does not present an explosion hazard.**Explosion limits:**

Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	6.6 g/cm ³ (55.077 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not applicable.

(Contd. on page 5)

- USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 10/24/2006

Product name: Samarium (III) fluoride

(Contd. of page 4)

kinematic:	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided:
 Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known
Incompatible materials: No information known.
Hazardous decomposition products: Hydrogen fluoride

11 Toxicological information

Information on toxicological effects
Acute toxicity:
 Harmful if inhaled.
 Harmful in contact with skin.
 Harmful if swallowed.
 Danger through skin absorption.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes skin irritation.
Eye irritation or corrosion: Causes serious eye irritation.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity:
 No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: May cause respiratory irritation.
Aspiration hazard: No effects known.
Subacute to chronic toxicity:
 Lanthanons can cause delayed blood clotting leading to hemorrhages. Exposure may also lead to sensitivity to heat, itching, increased awareness of odor and taste, and liver damage.
 Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney damage. Chronic fluoride poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects.
Additional toxicological information:
 To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Behavior in environmental systems:
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:
 Do not allow material to be released to the environment without proper governmental permits.
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 Avoid transfer into the environment.
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.

(Contd. on page 6)
USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 10/24/2006

Product name: Samarium (III) fluoride

(Contd. of page 5)

Uncleaned packagings:**Recommendation:** Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, ADR, IMDG, IATA	UN3288
UN proper shipping name DOT	Toxic solid, inorganic, n.o.s. (samarium fluoride)
ADR	3288 Toxic solid, inorganic, n.o.s. (samarium fluoride)
IMDG, IATA	TOXIC SOLID, INORGANIC, N.O.S. (samarium fluoride)
Transport hazard class(es) DOT	
	
Class	6.1 Toxic substances.
Label	6.1
ADR	
	
Class	6.1 (T5) Toxic substances
Label	6.1
IMDG, IATA	
	
Class	6.1 Toxic substances.
Label	6.1
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user Danger code (Kemler):	Warning: Toxic substances 60
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information: DOT	
Marine Pollutant (DOT):	No
UN "Model Regulation":	UN3288, Toxic solid, inorganic, n.o.s. (samarium fluoride), 6.1, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/23/2014

Reviewed on 10/24/2006

Product name: Samarium (III) fluoride

(Contd. of page 6)

Prop 65 - Developmental toxicity, male Substance is not listed.**Information about limitation of use:** For use only by technically qualified individuals.**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

Substance is not listed.

REACH - Pre-registered substances Substance is listed.**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Health, Safety and Environmental Department.**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

USA